

# KNIME Business Hub Release Notes

KNIME AG, Zurich, Switzerland  
Version 1.11 (last updated on 2024-09-09)



# Table of Contents

Changelog (KNIME Business Hub 1.11)	1
KNIME Business Hub 1.11.2	1
KNIME Business Hub 1.11.1	2
KNIME Business Hub 1.11.0	3
Changelog (KNIME Business Hub 1.10)	4
KNIME Business Hub 1.10.2	4
KNIME Business Hub 1.10.1	4
KNIME Business Hub 1.10.0	5
Changelog (KNIME Business Hub 1.9)	8
KNIME Business Hub 1.9.0	8
Changelog (KNIME Business Hub 1.8)	9
KNIME Business Hub 1.8.3	9
KNIME Business Hub 1.8.2	10
KNIME Business Hub 1.8.1	11
KNIME Business Hub 1.8.0	12
Changelog (KNIME Business Hub 1.7)	14
KNIME Business Hub 1.7.0	14
Changelog (KNIME Business Hub 1.6)	15
KNIME Business Hub 1.6.0	15
Changelog (KNIME Business Hub 1.5)	17
KNIME Business Hub 1.5.2	17
KNIME Business Hub 1.5.1	17
KNIME Business Hub 1.5.0	18
Changelog (KNIME Business Hub 1.4)	20
KNIME Business Hub 1.4.2	20
KNIME Business Hub 1.4.1	20
KNIME Business Hub 1.4.0	21
Changelog (KNIME Business Hub 1.3.0)	22
KNIME Business Hub 1.3.0	22
Changelog (KNIME Business Hub 1.2.0)	23
KNIME Business Hub 1.2.0	24

This document is a collection of all the release notes and important bug fixes of the KNIME Business Hub released versions.

If you want to know more about how to install KNIME Business Hub in different environments and distributions refer to the following guides:

- [KNIME Business Hub Installation Guide - Embedded Cluster](#)
- [KNIME Business Hub Installation Guide - Existing Cluster](#)
- [KNIME Business Hub Installation Guide - Existing OpenShift Cluster](#)

To learn about administration topics refer to the following guides:

- [KNIME Business Hub Admin Guide](#)
- [KNIME Business Hub Update Guide](#)

If you are a KNIME Business Hub user you might be interested in knowing more about how to perform different actions, for example how to create deployments or manage secrets, refer to the following guides:

- [KNIME Business Hub User Guide](#)
- [KNIME Secrets User Guide](#)

Finally, have a look at all the different guides provided about various topics in the [Hub section of the KNIME Documentation](#).

## Changelog (KNIME Business Hub 1.11)

### KNIME Business Hub 1.11.2

(released August 21, 2024)

#### Important installation notes

- Updates from the Business Hub 1.11.x version are **highly recommended**, as critical issues were fixed in this release.

## Important Bugfixes

- Fixed an issue in SCIM integration where percentage-encoding did not allow upper- and lowercase characters in SCIM endpoints
- Fixed a bug where "number of executors" setting didn't work for shared execution contexts through the Business Hub UI
- Fixed an issue where refreshing a Box/Generic/Google OAuth2 Interactive secret via the Secret Store consume endpoint failed on the second refresh
- Fixed an issue where Keycloak didn't start up properly in some cases after a restart
- Fixed an issue in Secret Store where Google Sheets (read-only) scope group contained invalid scopes

## Infrastructure update

- Security update: KNIME Business Hub does no longer utilize role bindings to default service accounts

## KNIME Business Hub 1.11.1

(released August 9, 2024)

## Important installation notes

- Updates from the Business Hub 1.11.0 version are **highly recommended**, as critical issues were fixed in this release.
- **Important** If an external loadbalancer is deployed for handling TLS, and the coreDNS configuration update is disabled, the checkbox Istio Oudbound Traffic Redirect has to be disabled as well. Otherwise, internal calls to the hub URL will skip the Loadbalancer and TLS is not handled.

## Important bugfix

- Fixed the issue where in Business Hub 1.11.0 discarding and swapping jobs from running executors were not happening automatically. This would result in jobs piling up on the executor causing critical problems.

## KNIME Business Hub 1.11.0

(released July 24, 2024)

### Important installation notes

**Important:** If an external Loadbalancer is deployed for handling TLS, and the CoreDNS configuration update is disabled, the checkbox "Istio Outbound Traffic Redirect" has to be disabled as well on the KOTS Admin Console. Otherwise, internal calls to the Hub URL will skip the Loadbalancer and TLS is not handled.

Notice that due to the Postgres database update ~10 minutes downtime is expected.

### Improvements

- KNIME Business Hub now provides a GenAI Gateway that allows IT to centrally configure which GenAI providers and nodes can be accessed and used by team members
- Workflows and components now come with rich descriptions
- Personal credentials are now available to logged-in read-only users
- Admins of KNIME Business Hub can assign memory limits to Teams

### Infrastructure updates

- Postgres database has been updated to version 16
- Artemis has been updated to version 2.35.0
- Quarkus has been updated to version 3.8 LTS

### Important Bugfixes

- Fixed an issue where members of a Team could see the delete button for Deployments even if they didn't have the permission to delete them
- Fixed an issue where deployment of Kots failed when there was no TLS certificate defined
- Security context fixes
- Various small bugfixes

# Changelog (KNIME Business Hub 1.10)

## KNIME Business Hub 1.10.2

(released July 9, 2024)



**Important note:** Updates from Business Hub 1.10.x versions are **highly** recommended, as critical issues were fixed in this release.

### Important Bugfixes

- Fixed an issue with memory allocation to Artemis (managing job queues for execution) that could cause failure of Business Hub.
- Fixed an issue where jobs instrumentation (historical job collection) could fail because of late messages and cause failure of Business Hub.

## KNIME Business Hub 1.10.1

(released June 4, 2024)

### Improvements

#### Data App: Manage All Existing Jobs

- Data App to list all existing jobs with the possibility to delete them as well. Can be used to monitor the current execution situation on the Hub.
- Data App: [https://hub.knime.com/-/spaces/-/~hOk0b0SsNX6\\_eAoh/most-recent/](https://hub.knime.com/-/spaces/-/~hOk0b0SsNX6_eAoh/most-recent/)
- Docs: [https://docs.knime.com/latest/business\\_hub\\_admin\\_guide/index.html#manage-all-existing-jobs](https://docs.knime.com/latest/business_hub_admin_guide/index.html#manage-all-existing-jobs)

#### Data App: Assign Users to Teams based on External Groups

- Convenience Data App to link Groups (e.g. managed by SCIM) to Teams.
- Data App: <https://hub.knime.com/-/spaces/-/~aRbyzgd02lBk60j/most-recent/>
- Docs: [https://docs.knime.com/latest/business\\_hub\\_admin\\_guide/index.html#scim-](https://docs.knime.com/latest/business_hub_admin_guide/index.html#scim-)

## users-teams-data-appliation



Users sync from identity provider to Hub teams via SCIM is an Enterprise edition only feature.

### Data App: Executor Image Builder

- As the successor of the Execution Context Dockerfile Builder, the **Executor Image Builder Data Application** is designed to further ease the creation of Executor Images by employing the Image Builder Service that comes with KNIME Business Hub 1.10. This eliminates the need for manual docker image building on local machines, and instead allows easy installation of extensions or additional software like python to an Executor Image. The Executor Image is automatically pushed to a given registry (embedded, or configured in the Admin Portal) so that it is available for Global Admins and Team Admins so that they can create Execution Contexts from the Image. Detailed **documentation** can be found in the Docker executor images section of the KNIME Hub Admin Guide.

### Other

- Airgapped bundles now come with KNIME Analytics Platform 5.2.5 as executor.

### Bugfixes

- Fixed a bug where the job viewer feature doesn't work on certain domains
- Added license support for GCP marketplace images
- Fixed a bug when sharing a secret with a team
- Fixed a bug in Kerberos impersonation when connecting to an on-premise cluster

## KNIME Business Hub 1.10.0

(released May 22, 2024)

### Important changes (please read carefully)

- The KOTS App Manager is now on version 1.108.9. This new version fixes an important CVE and provides new functionalities, so it has to be updated **before** updating to KNIME Business Hub version 1.10.

- To do so use the following command: `curl -sSL https://curl.sh/knime-hub | sudo bash.`
- The Kurl update will result in a **downtime of approximately 60 min.** Please plan your update window accordingly.
- Email addresses are now allowed as usernames. In case you had a Keycloak mapper configured that strips the domain portion of the username, this mapper can now be removed.
  - **Caution:** For the time being, do not remove the mapper if you are using Kerberos authentication in KNIME Analytics Platform. A fix for this will be provided in the next feature or bugfix release.
- We changed the way groups in teams are managed. This change is only important for customers who added "guest members" to their teams to grant them access to individual spaces. If you are **not** doing this, please just skip the bullet point below.
  - Previously, it was possible for a user to be in a team without belonging to any of the team's groups ("admin" and "member" by default). Now, a user is considered a part of a team as long as they are in **any** of the team's groups. Therefore, having guest members by simply adding a user to a team, and then removing them from all groups is not possible anymore. To still achieve the same result, you need to add a new custom group to your team, to which the guest users are then added. Please reach out to [support@knime.com](mailto:support@knime.com) to get assistance with this.
- In case you are updating from Business Hub 1.8.x, Keycloak will be updated as well, resulting in a changed password to access the Keycloak admin portal. Please find the new password in a Kubernetes secret called `credential-knime-keycloak` in the `knime` namespace. If you have created additional Keycloak admins, they will be deleted as part of the update.
- For customers using the external group sharing feature, the user-attribute mapper for external groups needs to be switched to `userinfo-only`. Please refer to the [updated documentation](#).
- Airgapped bundles now come with KNIME Analytics Platform 5.2.3 as executor.

## Improvements

- Group-to-team sync via SCIM (Enterprise edition only): Automatically sync groups from your identity provider to Business Hub teams. Changes on the identity provider side will reflect in Business Hub, making it easier for IT to onboard many users. ([See documentation](#))
  - **Note:** In case you are using Kerberos authentication in KNIME Analytics Platform



and if you are using a Keycloak mapper that strips the domain part from user names, do not set up SCIM yet. A fix for this will be provided in the next release.

- Job instrumentation: This feature keeps a record of every single job that is executed on Business Hub, allowing users to analyze Hub usage over time. By default, records are kept for 30 days. This value can be adjusted in the KOTS admin console. ([See documentation](#))
  - A data app to access this data is published [here](#). Please upload this to your own Business Hub installation.
- Job viewer: Users are able to inspect a job at its current state in a browser based read only mode, without the need to open their local KNIME Analytics Platform. This is possible for jobs that were created by an “Ad hoc execution” as well as from a “Deployment”. Usage of this features requires a KNIME Analytics Platform 5.2.3 or newer to be used as hub executor. ([See documentation](#))
  - **Note:** In order to use the job viewer feature, load balancers / proxies in front of Business Hub need to be websocket compatible, and the ws.<baseurl> DNS entry needs to be set up as its shown on the KOTS admin console.
- Scalable data app sharing: Share data apps at scale via a special link and run them without the need to log in for end users. ([See documentation](#))
- Secret store adds a new secret type for secure sharing of files e.g. ssh key files. ([See documentation](#))

## Security Updates

- Minimal RBAC Kots install supported ([See documentation](#))
- Advanced installation now supports setting up Kots with limited RBAC permissions
- PostgreSQL no longer requires privilege escalation to be enabled
- fsGroups and supplementalGroups are now set for every container (exceptions are PostgreSQL, Istio and Ingress-Nginx)
- Namespace-metadata-reader Cluster Role converted into a Role

## Kurl update

- Kurl stack updated
- Contains various CVE fixes
- Embedded clusters updated to Kubernetes version 1.27.12

## Support bundle updates

- Support bundles now indicate missing required resources in the Hub cluster

## Important Bugfixes

- Fix showing a correct “License expired” message in the UI
- Fixed a bug where application password creation for consumers was broken
- Infrastructure fixes:
  - Excluding Istio from the install (for provided Istio / OpenShift Service Mesh) no longer requires a developer license
  - Fixed a bug where some init containers weren’t compatible with Istio CNI
  - Fixed a copy permission error in the Keycloak init container that caused issues with updates to Business Hub version 1.9.0
- Backup / Restore fixes:
  - Postgres admin password wasn’t restored in some cases
  - Timeouts increased for large data volume backups / restores
- Fixed a bug where Keycloak wasn’t compatible with custom certificate authorities
- Fixed a bug where the ImagePullSecret was not set for Keycloak in some air gapped, embedded cluster installations
- Keycloak migration improved when updating from Business Hub 1.8.3 or lower versions
- Various fixes for OpenShift installs
- Compatibility with OpenShift Service Mesh improved

# Changelog (KNIME Business Hub 1.9)

## KNIME Business Hub 1.9.0

(released April 10, 2024)

### Installation notes

**Due to the Keycloak version update, Keycloak admin credentials will change during the update process.**

The new credentials can be retrieved from the same secret as during the first install of Business Hub. Refer to the steps [here](#) to retrieve the credentials.



KNIME Business Hub 1.9.0 includes the Docker executor image:  
`registry.hub.knime.com/knime/knime-full:r-5.2.3-477.`

## Improvements

- Expanded support for secret types, including OAuth2 and authentication mechanisms from Box, Google, and Microsoft
- New landing page that highlights relevant links for faster onboarding of users
- ElasticSearch has been updated to 8.5.1
- Keycloak has been updated to 23.0.5
- Added support for installing Business Hub on OpenShift
- Added support for Kubernetes 1.29
- Migrated UI framework to nuxt3

# Changelog (KNIME Business Hub 1.8)

## KNIME Business Hub 1.8.3

(released March 26, 2024)

### Improvements

- Update Artemis to 2.32.0

### Important Bugfixes

- Fixed a bug where Image pull secret are not set anymore for executors in embedded registry
- Fixed license check for Azure marketplace images
- Fixed exposing of workflow paths in shared deployments

## KNIME Business Hub 1.8.2

(released March 05, 2024)

### Installation notes

- During the update a short downtime is expected (5-10 minutes).

### Improvements

- In existing cluster installations Kubernetes Namespaces can now be created before the installation happens, in compliance with IT security standards.
- Enabled additional security context policies for multiple 3rd party tools. List of policies enabled:
  - require-node-affinity
  - disallow-capabilities
  - disallow-host-namespaces
  - disallow-host-path-volumes
  - disallow-host-ports
  - disallow-privileged-containers
  - require-non-root-groups
  - require-run-as-nonroot
  - disallow-host-process
  - disallow-latest-tag
  - disallow-proc-mount
  - require-drop-all-capabilities
  - require-read-only-root-filesystem

### Important Bugfixes

- Fixed a bug where the Velero restore process could show incomplete because of timing issues with Minio.
- Fixed a bug where editing a schedule that has credentials stored corrupted the credentials

## KNIME Business Hub 1.8.1

(released February 15, 2024)

### Improvements

Allow routing temp data to customer-defined volume

- Helps eliminate disk pressure in situations where large amounts of data need to be cached from jobs during execution.

Optionally set node affinity to required

- Set node affinity to be required so that users can ensure that no hub components are scheduled onto a node that does not have a particular label.

Enable Rook on Airgap HA installation

- Airgap installations now support multi-node setups with Rook.

Support external groups sharing for users in more than 200 groups

- AAD removes groups from the access token of the user is in more than 200 groups. This feature allows customers to still retrieve the groups in these cases.

### Important Bugfixes

- Fixed a bug that occurred when multiple accounts are created concurrently
- Fixed various bugs that impaired first installs on airgapped environments

### Important Notes

- Some advanced settings are now hidden in the KOTS Admin Console config by default. To view them enable the *View Advanced Settings* option in the Global section at the top.

## KNIME Business Hub 1.8.0

(released December 20, 2023)



KNIME Business Hub 1.8.0 includes the Docker executor image:  
`registry.hub.knime.com/knime/knime-full:r-5.1.2-433`.

### New features

#### AI Service (Business Hub Enterprise)

- Gives you control over, who the data going through the KNIME AI Assistant is shared with.
- Configured via the KOTS Admin Console
- Supports OpenAI and Azure OpenAI as LLM provider
- No data is shared with KNIME
- AP Users can connect their KNIME AI Assistant to the AI Service of a Business Hub via the KNIME AI Assistant preference page
- AI history service grants admins access to all requests made by their AP users to the KNIME AI Assistant
- Documentation: [KNIME Business Hub Installation Guide](#)

#### Secret Store (Business Hub Standard & Enterprise)

- Central location to manage personal and team secrets
  - Sharing of team secrets with other users or teams
  - No more logins stored in KNIME workflows
  - Secret management is done in the KNIME Business Hub
  - Secret Retriever node allows users to use secrets within KNIME workflows
- Documentation: [KNIME Business Hub User Guide](#)

#### Start data apps with parameters via URL

- Send customized data app links that trigger link/user-specific behavior inside the data app

- Needs a Container Input (JSON) node inside the workflow
- Documentation: [KNIME Business Hub User Guide](#)

## Infrastructure updates

### Minimize use of cluster roles

- There are no more cluster roles in services developed by KNIME
- Circumventing the use of cluster roles in 3rd party tools used by Business Hub will be introduced in a later release (where possible)

### Backup / restore via Velero

- Stability improvements

## Improvements

- Added display of CPU and RAM usage of execution contexts
- Search results indicate versioned and draft items
- Admin console now displays Business Hub version

## Important bugfixes

- Date-times are now displayed in the browser's timezone
- Execution context selection list not showing all available execution contexts for deployments and ad-hoc execution, improved UX
- Fixed download button for previous workflow versions
- Fixed a bug where in some cases endless loading state could occur while editing schedules
- Fixed a bug where in some scenarios deployments could be created on disabled execution contexts
- Various other bugfixes

# Changelog (KNIME Business Hub 1.7)

## KNIME Business Hub 1.7.0

(released November 06, 2023)

### Important installation notes

Kubernetes version 1.25-1.27 is required for Business Hub 1.7.0. Pre-flight checks in the installer make sure that the correct version is available.

### Infrastructure and security updates

#### Support provided ingress-nginx deployments

- In existing clusters creating own ingress-nginx deployments before the installation of Hub is now enabled. Whether the Hub install process deploys the inbuilt ingress-nginx can be configured on the Kots Admin dashboard.

#### Security context update

- Security contexts updated for pods, containers and jobs in the hub, knime and knime-execution namespaces.

### Bugfixes

- Fixed a bug where schedules edited with KNIME Analytics Platform didn't respect job discard settings.
- Fixed a bug where saving executed job as workflows didn't work in case workflow size was larger than 50 MB.
- Fixed a bug where under certain circumstances jobs were shown duplicated in the AP explorer.
- Fixed a bug where schedules in all teams connected to a user were deactivated when the user left any team.
- Various smaller fixes.



# Changelog (KNIME Business Hub 1.6)

## KNIME Business Hub 1.6.0

(released September 22, 2023)

### Important installation notes

Business Hub 1.6.0 comes with Kubernetes 1.25 for the embedded clusters.

We recommend updating by running the Kubernetes installer command:

```
curl -sSL https://curl.sh/knime-hub | sudo bash
```



Run the command only when updating from KNIME Business Hub version 1.5.2 or higher, or **after** you updated to version 1.6.0.

All pods will restart during the update, some downtime is expected. Creating a backup before upgrading is recommended.

## New Features

### Save jobs to spaces

- Jobs on KNIME Business Hub can now be saved any space where the user has permissions. Great feature to utilize for fixing a faulty job and saving the results for the future.
- Documentation: [KNIME Business Hub User Guide](#)

### Shared execution contexts

- Create shared execution contexts, that allow sharing execution resources between multiple teams. Shared execution contexts are setup and maintained by the Hub admin and utilized on Team level.
- Documentation: [KNIME Business Hub Admin Guide](#)

## Execution context redesign

- Improved usability of execution resource management based on customer feedback. Current job list is now available on execution context and executor level.

## Auto start-stop of execution contexts

- Save money on infrastructure costs by only starting up your execution resources when they are actually used, and by shutting them down afterwards.
- Auto start-stop can be enabled for each execution context separately.

## Download job logs

- Downloading job logs is now available from the Hub user interface.
- To use this feature an executor based on KNIME Analytics Platform version > 5.1 is necessary.
- Documentation: [KNIME Business Hub User Guide](#)

## Improvements

### Triggers listening to version creation

- It is now possible to trigger deployments when a new workflow version is created.
- Documentation: [KNIME Business Hub User Guide](#)

### Deprecated nodes are not part of search results

## Infrastructure updates

### Embedded clusters updated

- New Kubernetes version for embedded clusters is 1.25

### Kubernetes node affinity

- Node affinity available to separate execution resources from Hub core services

- Documentation: [KNIME Business Hub Admin Guide](#)

## Important Bugfixes

- Fixed a bug where two trigger deployments triggered at the same time could produce inconsistent results
- Fixed faulty URLs on the API documentation
- Fixed KNIME AP mount point registration https problem
- Fixed an issue where global proxy settings could break executor functionality
- Fixed an issue where Hub could get into a crash loop with many APs connected and large files being uploaded / downloaded at the same time

# Changelog (KNIME Business Hub 1.5)

## KNIME Business Hub 1.5.2

(released Aug 14, 2023)

### Important installation notes

Postgres will restart during the update, short downtime is expected.

### Infrastructure updates

KNIME Business Hub is now compatible with Kubernetes 1.25.

## KNIME Business Hub 1.5.1

(released July 27, 2023)

### Important Bugfixes

- **HUB-5628** Fixed an issue that prevented the creation of disabled schedules. Impacting KNIME Server to Hub migration.

- **HUB-5649** Fixed a bug that prevented notification service updates when a subscription for a deleted user was present.
- Fixed a configuration issue that caused the trigger-service to not start up in some scenarios.

## KNIME Business Hub 1.5.0

(released July 17, 2023)

### Important installation notes

All executor pods will restart during the update, some downtime is expected. Creating a backup before upgrading is recommended.

### New Features

#### Item level versioning

- Item level versioning has been introduced with Hub 1.5.0
- Users can create / restore / delete versions of individual items
- Item versions can be utilized in Ad hoc execution, Deployments
- Using KNIME Analytics Platform 5.1 users can leverage item level versioning for Ad hoc execution, sharing component links and use new nodes like the "Version Creator"
- Space level versioning has been deprecated
- All items in previously versioned spaces are automatically migrated to be versioned on item level upon updating

#### Volume Mount support for Execution Contexts

- Kubernetes volumes can now be attached to Execution Contexts by editing the custom resource definition.
- This allows attaching secrets and config maps as files to Execution Contexts.

## Improvements

### Keycloak enforces username validation

- Username restrictions described in the [KNIME Business Hub Installation Guide](#) are now enforced by KNIME Business Hub's identity provider Keycloak. Preventing problems where users could be synced into Hub but they could not login with their credentials.

### Notifications redesign

- KNIME Business Hub UI notifications were redesigned to be less intrusive and to be more convenient for users.

### Schedule deployment

- Initial start date of schedules can no longer be in the past.

### Space permissions

- Users with viewer permission can no longer delete spaces

## Infrastructure updates

### Artemis update

- Artemis version has been updated to 2.29.0

### Quarkus update

- Quarkus has been updated to 3.1.1 in the execution services

### Execution Context security hardening

- Execution Contexts now have a more restrictive security context to help prevent containers from escalating privileges and prevent running as root user. This increases compliance with typical enterprise cluster security policies enforced with tools such as Kyverno.

## Important BugFixes

- **HUB-4991** - Fixed a bug where users were not able to execute deployments shared with them, if they didn't have access to the deployed workflow.
- **HUB-5396** - Fixed the state persistor issue that could result in timeouts and various problems in workflow execution on the Hub.

# Changelog (KNIME Business Hub 1.4)

## KNIME Business Hub 1.4.2

Main motivation for the 1.4.2 KNIME Business Hub release is to prepare for the upcoming 5.1 KNIME Analytics Platform release. It is an optional update as 1.5.0 Business Hub is coming out with all new features before AP 5.1.

### Improvements

Support for using KNIME Analytics Platform 5.1 as a workflow editor. Compatibility with uploading workflows to the Hub using KNIME AP 5.1.

### Important Bugfix

- **HUB-5396** - Fixed the state persistor issue that could result in timeouts and various problems in workflow execution on the Hub.

## KNIME Business Hub 1.4.1

### Important Bugfixes

- **Fix Bug** disabled functionalities for interacting with components in the HUB from AP versions (4.7.0, 4.7.1, 4.7.2, 4.7.3, 5.0.0) affected by a bug in which saving shared components might delete local workspaces
- Listing HUB spaces from affected AP versions will return the components as data objects, which don't have the potential to trigger the bug, but limits the use of components.

- Changed file extension for downloading components from .knwf to .knar.

## KNIME Business Hub 1.4.0

### Important installation notes

Please calculate with some downtime during which some services might not be available.

### New Features

#### Data apps

##### **Share data app deployments with "any signed in user"**

You can now share your data apps with every Hub user in your company with one setting. Data app deployments shared this way will be available in every user's data apps portal.

##### **Share data app deployments with external groups**

Sharing data app deployments with users from externally managed groups (e.g. LDAP/AD groups) is now available. This is done by either importing LDAP groups to Keycloak, or by connecting Keycloak to an external OIDC provider, which provides groups through the access token. Usage of such external groups is for sharing of data app deployments only. The actual users who run the deployments are still managed within KNIME Business Hub.

##### **Data Apps Portal UX enhancements**

Enhanced the visual design and user experience of the data apps portal, enabling the addition of categories and descriptions to data apps. This enhancement allows data app consumers to effortlessly filter and identify relevant data apps based on their category and description.

##### **Content Security Policy for data apps**

Admins of KNIME Business Hub can now set custom Content Security Policies for data apps, to restrict which resources, from where can be loaded into the data app's user's browser. See more in: [Business Hub Admin Guide](#).

#### Deployments

##### **Editing deployments**

Recreating deployments is no longer needed just to change their configuration.

## Admin functionality

### **Backup / restore via Velero**

KNIME Business Hub is now complemented with the widely used, open-source backup / restore tool: Velero. You can mitigate the risk of serious data loss by setting up a backup schedule. The backup process does not require any downtime.

### **X-Frame-Options Header**

Now admins can also select from different X-Frame-Options header options, to prevent clickjacking attacks. See more in: [Business Hub Admin Guide](#).

### **Security**

Improved security by removing sensitive information shown in the HTML source code.

## Edge

### **KNIME Edge integration**

KNIME Edge 1.3 is now compatible with KNIME Business Hub 1.4.

## Important Bugfixes

- HUB-4774: Next execution time for schedules repeating every 24 hours cannot be computed
- HUB-5093: Heap size calculation doesn't work on Ubuntu 22.04 (Cgroups V2), leading to a too low limit being set for various services

# Changelog (KNIME Business Hub 1.3.0)

## KNIME Business Hub 1.3.0

(released April 03, 2023)

### **Important installation notes**

- With the release of KNIME Business Hub 1.3.0 new security features are introduced regarding executor communication. For this reason, KNIME Business Hub requires every executor to be on Analytics Platform version 4.7.1 or higher. You can find a list of the available executor images [here](#).



- With this release we changed the istio configuration of two services, to allow them to see the IP of the caller if the request is coming from within the cluster. This can cause those two services (`keycloak-proxy`, `s3-proxy`) to not start up in some scenarios, with a "too many open files" error in the istio-proxy container of those pods. This can be fixed by increasing the open file limit on the host VM, e.g. by running the following command:  
`sudo sysctl fs.inotify.max_user_instances=8192.`
- The KOTS App Manager is now on version 1.96.3. This new version fixes an important bug, so it should be updated before updating to KNIME Business Hub version 1.3. To do so use the following command:  
`curl -sSL https://kurl.sh/knime-hub | sudo bash.`
- If you haven't updated to KNIME Business Hub 1.2.0, yet, you need to follow update guide in the [changelog](#) for 1.2.0 before updating to 1.3.

## New Features

### **Molecule sketcher**

Use the new Molecule Widget (Labs) node to accept molecule input from your users. With this new node we made the integration of different sketchers easier and allowed to provide different sketchers also for the KNIME Analytics Platform. In this release the ketcher sketcher is included. Additional sketchers will follow in the upcoming releases.

### **Collections**

Introduce your users to a topic using collection pages. Collection pages serve as a starting point for your users to explore examples and building blocks related to your chosen topic, facilitating their onboarding process. To start creating collections read our guide [here](#).

### **KNIME Analytics Platform customization profiles**

Use Business Hub to distribute preference profiles to either local Analytics Platform clients or to KNIME Hub executors. This can be used to e.g. easily ship database drivers. More information about Analytics Platform customization profiles [here](#).

### **Trigger deployment**

Trigger is a powerful new type of deployment which allows automating workflow execution based on specific conditions, such as another workflow or component being added or removed to a space. To get started with Triggers, check out our documentation [here](#).

# Changelog (KNIME Business Hub 1.2.0)

## KNIME Business Hub 1.2.0

(released March 13, 2023)

### KNIME Business Hub 1.1.1 to 1.2.0 Upgrade

- KNIME Business Hub 1.2.0 is expected to run in a Kubernetes 1.23.x cluster. Prior versions of KNIME Business Hub ran in Kubernetes 1.21.x clusters.
- For embedded kurl cluster installations, the cluster update process is to:
  - First, check for updates in KOTS Admin Console.
  - Once the KNIME Business Hub 1.2.0 update has been identified and preflight checks have been run, trigger the deployment.
  - After the deployment process has completed, run the following command in the terminal of the host machine to upgrade the Kubernetes cluster version (among other components):
    - `curl -sSL https://kurl.sh/knime-hub | sudo bash`
    - You will have to enter `y` to various yes/no prompts during this upgrade process.

### New Features

- New supported Kubernetes versions: 1.22, 1.23, 1.24
- Keycloak version updated to 19.0.3, see Keycloak documentation: [https://www.keycloak.org/docs/19.0.3/server\\_admin/](https://www.keycloak.org/docs/19.0.3/server_admin/)
- Support for airgapped environments: Installing KNIME Business Hub in environments with no internet connection. Install instructions: [https://docs.knime.com/latest/business\\_hub\\_installation\\_guide/index.html#\\_introduction](https://docs.knime.com/latest/business_hub_installation_guide/index.html#_introduction)
- Embedded docker registry for custom executor images: Embedded cluster installations using kURL now contain an embedded docker registry for storing custom executor images. Documentation: [https://docs.knime.com/latest/business\\_hub\\_installation\\_guide/index.html#embedded-docker-registry-configuration](https://docs.knime.com/latest/business_hub_installation_guide/index.html#embedded-docker-registry-configuration)
- Recreate strategy for Execution contexts: For upgrading execution contexts now rolling updates and recreate strategies are both available.
- Support for custom certificate authorities

## Bugfixes

- Removed the unused ipv6 listener in the Business User Portal container, that could cause crashes in some environments

KNIME AG  
Talacker 50  
8001 Zurich, Switzerland  
[www.knime.com](http://www.knime.com)  
[info@knime.com](mailto:info@knime.com)