

KNIME Server to KNIME Hub Migration Guide

KNIME AG, Zurich, Switzerland
Version 1.12 (last updated on 2024-08-01)



Table of Contents

Introduction.....	1
Preparation: KNIME Server vs KNIME Hub concepts.....	2
Users.....	2
Teams.....	2
Spaces and permissions	3
Item Versions.....	3
Deployments	4
Workflow Execution	5
Requirements, prerequisites, and limitations	6
Requirements.....	6
Prerequisites	7
Limitations	7
Application Guide.....	9
Page 1: Configure Server and Hub Connections	9
Page 2: Destination and Data Selection	10
Page 3: Fine-tuning	13
Page 4: Migration Result	16
Page 5: Migration Logs.....	18
Wrap up.....	20

Introduction

Nearly no code made it from KNIME Server to KNIME Business Hub. KNIME Business Hub, in fact, is built from the ground up on scalable cloud-native architecture, while still providing most of the functionality from KNIME Server.

KNIME Business Hub includes robust collaboration capabilities through introduction of spaces. This allows organizations to share their internal collections of solutions. Users can easily browse through workflows, making it easier to learn more, upskill, and onboard users with or without a license.

KNIME Business Hub also improves the experience of automating execution and deploying data apps and services. Users have a single intuitive frontend where they can share solutions in spaces and set schedules, and ultimately deploy and monitor their models.

While KNIME Business Hub provides most of the functionality from KNIME Server, however, a one-to-one mapping of features between KNIME Server and KNIME Hub is not always possible.

This guide is intended to be an overview of the migration process of your KNIME Server to a KNIME Business Hub instance. The individual steps depend on your setup—there might be features you heavily use, and others you don't use at all.

For the actual content migration, you are provided [a migration workflow](#), which helps in migrating workflows, snapshots, schedules, components and other items to a KNIME Business Hub. This guide covers:

- The main feature differences between KNIME Server and KNIME Hub
- How to use the provided migration workflow to migrate your KNIME Server to KNIME Hub, which prerequisites you will need to satisfy, and a step by step user guide through the different pages of the workflow.

To install a KNIME Business Hub please refer to the [KNIME Business Hub Installation Guide](#). To administrate a KNIME Business Hub instance please refer instead to the [KNIME Business Hub Administration Guide](#).

To install a KNIME Business Hub please refer to the [KNIME Business Hub Installation Guide - Embedded Cluster](#) or [KNIME Business Hub Installation Guide - Existing Cluster](#). To administrate a KNIME Business Hub instance please refer instead to the [KNIME Business Hub Administration Guide](#).

Preparation: KNIME Server vs KNIME Hub concepts

Before migrating content, the KNIME Business Hub needs some initial setup for execution resources, users and teams, which is not covered by the migration workflow.

Users

[User management on KNIME Business Hub](#) is handled via keycloak and differs dramatically from the User management on KNIME Server.

- If your KNIME Server installation uses the H2 database you will need to migrate the users manually.
- LDAP and other IdPs are supported by keycloak and KNIME Business Hub. See the [KNIME Business Hub Admin Guide on how to Expose external groups inside KNIME Business Hub](#).

An interesting feature that is introduced with KNIME Business Hub is the usage of application passwords that will provide the users with the ability to provide authentication when using the KNIME Hub REST API, for example when executing deployed REST services. You can find more information on how to create and use application passwords in the [Application passwords](#) section of the KNIME Business Hub User Guide. If you use the migration workflow, you will use the application password of a team member (see below) from a team you want to migrate content to in order to authenticate.

Teams

This is a new concept on KNIME Hub, as a successor of KNIME Server Groups. A team is a group of users on KNIME Hub that work together on shared projects. A Team will own specific Hub resources, to which only Team members will have access.

When users are migrated to the Hub one or more teams are created (depending on the type of license or your KNIME Business Hub) and users are assigned to a team. Additionally, each user has a role assigned, which can be the following:

- Member role. A team member can:
 - View the team page, with members list and spaces
 - [Create, modify, and delete public and private spaces](#)

- Upload/download items to/from public and private spaces
- Delete items from public and private spaces
- Execute Workflows
- Create Data App, Schedule, Trigger, and Service Deployments
- Administrator: A team administrator can:
 - Do everything a Team member can
 - Add/remove users from the team
 - Promote team members to admins
 - Create execution contexts
 - Delete the team

When migrating using the migration workflow you will migrate items from KNIME Server to KNIME Hub to a specific team. For this reason, you will need to access the KNIME Business Hub as a user that has the Member or Administrator role in the specific team.

Spaces and permissions

One core concept of the KNIME Hub is the concept of “spaces”. A space is a collection of items used to organize components, workflows and files. Spaces are intended to organize a team’s work around a specific project or domain and they are owned by a team. Members and admins of the teams have access to the spaces by default, but permissions can be defined for each role or user, i.e. space access permissions can be restricted for certain users in the team.

The roles and permissions assigned to the team members or to the single users can then be assigned by the team admins.

During the migration process we recommend to transfer top level folders on the Server into a space on the Hub. Using the migration workflow described in the following sections you will be able to select one or multiple folders from the Server and to move their content (workflows, snapshots, schedules, components, data files, ...) to one or more spaces.

Item Versions

The snapshot feature of KNIME Server relates to item versions on KNIME Business Hub. A version is a snapshot in time of an item on Business Hub and is associated with some metadata (title, description, creator, creation timestamp, ...).

An item version history is available to the team members as a list of all the versions that have been created of a specific item.

When using the migration workflow, KNIME Server snapshots can be transferred to the Hub as item versions. Migrated snapshots will bear the title “VX snapshot from KNIME Server”, where the X will be the number of the snapshot (low number: old snapshot; high number: recent snapshot). The item as it resided on KNIME Server will always be versioned by the migration workflow and bear the title “VY from KNIME Server”, Y being the number of KNIME Server Snapshots plus one. The metadata of the KNIME Server Snapshot is given in the Version Description on the KNIME Hub Item Version.

Deployments

On KNIME Server, when a workflow is uploaded to the Server it is automatically possible to execute the workflow as a data app via the KNIME WebPortal, to schedule the execution of the workflows via the KNIME Analytics Platform, and to use the workflow as a service to be called either by another workflow or by an external tool.

While it is still possible to do **ad hoc execution** of workflows, which is intended for one-time usage e.g. during development, an extra step is introduced on KNIME Hub to separate the workflow from its intended usage: Deployments. With KNIME Business Hub, the upload of a workflow to a space on the Hub needs to be followed by the creation of a version and then the creation of the desired deployment. There are different types of **deployments on KNIME Business Hub**:

- Data app
- Schedule
- Service
- Trigger

Trigger deployments are entirely new, and allow to trigger a workflow when a file was modified, for example, or a new version of a workflow was created.

We provide examples for each deployment, which are explained [here](#).

Since it is not possible to detect a priori whether a workflow is intended as a data app or is executed as a service on KNIME Server, the migration process will need a manual step where the workflows are deployed as data apps or services.

Scheduled workflows instead can be migrated together with their scheduled jobs. Migrating scheduled executions from Server to Hub means that the same workflow will be scheduled on the Hub with the same configuration as on the Server.

By default, those schedules are only created and configured but not enabled. It is recommended to check that a workflow still executes successfully on the Hub before enabling it manually on the Hub. If desired, however, you can change this setting in the migration workflow.

Note that “Call Workflow” and “Save Report” actions as well as configured credentials cannot be migrated to the Hub. They require manual configuration, and the migration workflow will give further instructions if this case arises.

Please note that if you want to migrate the schedule deployments of workflows the team you want to migrate to needs to have access to an [execution context](#).

Workflow Execution

Workflow execution on KNIME Business Hub does still happen on Executors like on the KNIME Server, only that they are wrapped in so-called *Execution Contexts*. You configure them with similar settings as on the Server (job timeouts, swapping, ...). Creation of execution contexts is handled by the Team administrators or the Global admin, and they can be made available for all teams. Follow [this guide](#) on how to set up an execution context.

The configuration of the Executor, e.g. the KNIME Analytics Platform version used for execution, the installed extensions and so on, are now bundled into an Executor docker image that can be configured by the KNIME Business Hub Admin, as explained [here](#). Each execution context has the desired executor image assigned when created.

Requirements, prerequisites, and limitations

The [KNIME Server to KNIME Hub Migration workflow](#) helps you to migrate the following content from your KNIME Server to a team on the KNIME Business Hub:

- **Files and their snapshots (workflows, components, data files, ...)** and **folders** will be transferred unmodified while keeping the folder structure.
- **Workflow schedules** will be configured the same way as on KNIME Server. “Call Workflow” and “Save Report” actions as well as configured credentials cannot be migrated and require manual configuration afterward.

The migration workflow needs to be uploaded to the Server and executed in the WebPortal. It will guide the user through different migration steps.

Requirements

1. KNIME Server:

- a. Version 4.16 or higher.
- b. KNIME Executor version 4.6 or higher.
- c. The following extensions need to be installed on the Executor:
 - i. [Data Generation](#)
 - ii. [Expressions](#)
 - iii. If OAuth is used as an authentication method, the workflow allows authentication via a JSON Web Token (JWT) against the KNIME Server. If this is not allowed, a service account needs to be created in KNIME Server that can be authenticated via Basic Authentication.
- d. a user with permission to access all the content on the Server that should be migrated to the Hub.

2. KNIME Business Hub:

- a. KNIME Business Hub version 1.5 or higher.
- b. The Server network where the migration workflow will be executed needs to have access to the Hub instance, especially to the api subdomain `https://api.<base-url>.com/`.
- c. a user that is a member of the Hub team you are migrating the content to.

Prerequisites

1. You need to create an **application password** on the Business Hub that will be used by the migration workflow.
2. If you want to migrate schedules, an **execution context** is required in the Hub team you are migrating the content to.
3. It helps if you are familiar with new concepts on the Hub, see the **KNIME Business Hub User Guide**.

Limitations

Dependent on your Server setup, there are a few things that cannot be migrated that you should be aware of.

1. Workflows will be transferred to the Hub unmodified. Generally, a workflow will still run on the Hub the same as on Server. However, if there are resources linked, such as files stored relative to the workflow location, these files must be accessible Hub as well. We recommend to manually check after migration if such workflows still work as expected and, if not, re-configure them. Affected workflows contain e.g.
 - reader or writer nodes (e.g. Excel Reader, CSV Writer),
 - nodes, that call other workflows (e.g. Call Workflow Service),
2. The services that Connector Nodes connect to (e.g. Snowflake Connector, Amazon S3 Connector, SSH Connector, ...) need to be reachable from the Hub as well. Please re-configure the workflow or reach out to your IT administrator if any connection can not be established.
3. Workflows that link shared components on the Server: Please reach out to your (technical) account manager on a guide on how to migrate such workflows via support@knime.com.
4. Scheduled executions on the Server could be configured with
 - certain actions that take place after successful or failed execution. In case there were "Call Workflow" or "Save Report" actions configured, those will require reconfiguration on the Hub as workflow and file paths cannot be mapped from Server to Hub. The migration workflow informs you about such cases.
 - credentials that are used by the workflow. For security reasons, credentials cannot be migrated to the Hub and need to be reconfigured. The migration workflow informs you about such cases.
5. The permissions concept changed on the Hub. While on Server, permissions could be set on the file level, on Hub they are set on the space level. If you have fine-granular

permissions configured on Server, make sure to give proper space access to other users after migration.

6. The migration workflow does not perform any kind of user migration.
7. Execution Resources, i.e. an Execution Context, are not migrated by the workflow, but need to be set up for the team prior to Schedule migration.

Application Guide

You can download the workflow [here](#).

Upload the “KNIME Server to KNIME Hub Migration” workflow to the Server and run it in the WebPortal.

The workflow guides you through the different steps for the migration from KNIME Server to KNIME Hub, including copying files and folders from Server to Hub spaces and configuring schedules.

After migration, it is recommended to double-check that the content has been fully transferred to the Hub. Also, workflows might not successfully execute anymore and require manual adjustment, e.g. of file paths, or component links.

Page 1: Configure Server and Hub Connections

On the first page, you establish connections with both the Server and the Hub.

Usually, the connection to the Server can be configured automatically as the workflow is running on the Server. If not, try the “Connect to Server” button at least once, or switch to “Manual authentication” and enter your credentials. Alternatively, if the Server is configured to do OAuth, you can authenticate via JWT if you select the “Token-based authentication”. Double check the KNIME Server URL and then enter the contents of the file that you download from `<knime-server-url>/knime/rest/v4/auth/jwt`.

The connection to the Hub requires manual configuration. To do this, you’ll need to provide the URL of the Hub and the application password of the Hub user, who is a team member in the destination team. The process of obtaining an application password is described in the [KNIME Hub User Guide](#).

KNIME Server to KNIME Hub Migration



Configure Connections | Step 1 of 5 |

This workflow guides you through the migration from KNIME Server to KNIME Hub, which moves workflows, snapshots, schedules, and other items to a KNIME Hub Instance. You'll find information on the top of each of the pages, and additionally in the [KNIME Server to KNIME Hub Migration Guide](#).

This first page establishes the connections to the source KNIME Server and the target KNIME Hub.

Source: KNIME Server

Prerequisites

- A KNIME Server executor of version 4.6.5 or above.
- For credentials based authentication, have your username and password ready.
- In case you use OIDC to authenticate on the KNIME Server, obtain a JSON Web Token (JWT) as described [here](#). Select the 'Token-based authentication' option below, double check if the KNIME Server URL is correct, and enter the content of the JWT into the string field.

KNIME Server Connection

Please connect to the KNIME Server with a user with permission to access the content you want to migrate. For automatic authentication as the current user, click the connect button at least once.

KNIME Server Authentication

Token-based authentication

Token-based KNIME Server authentication

Obtain a JWT-Token from <https://datascience1.knime.com/knime/rest/v4/auth/jwt>. This will download a file, the content of which you can paste in the JWT Content field below.

The token consists of three alphanumeric strings concatenated by a period character ('.'). If you are curious, you can check out the details at [jwt.io](#).

KNIME Server URL

https://my-knime-server.com

JSON Web Token (JWT) Content

eyJhbGciOiJIUzI1NiIsInR5cCI6IWRXb295OiJIUzI1NiIsInR5cCI6IWRXb295OiJIUzI1NiIsInR5cCI6IWRXb295Oj0ie30=

Connect to KNIME Server

Successfully connected to the source KNIME Server!
KNIME Server at

Destination: KNIME Hub

Prerequisites

- An Application Password of a KNIME Hub Team Member that will be used by the migration workflow.
- If you want to migrate Schedules, an Execution Context is required in the KNIME Hub Team you are migrating the content to.
- Learn more about the new concepts on the KNIME Hub in the [KNIME Business Hub User Guide](#).

KNIME Hub Connection

Please connect to the KNIME Hub with an Application Password of a Team member of the Team you are migrating content to.

KNIME Hub URL

https://api.my-knime-hub.com/

KNIME Hub Application password

User

3pSXSb6pv7IRcZPgNeZNYqR-FGeKSQ4IXdJCj9snK3M

Password

.....

Connect to Hub

Successfully connected to the destination Hub!
KNIME Hub at as user 'g1a2m2'

Cancel

Next

Figure 1. Page 1 of the data app, where you establish the connection to the source KNIME Server and the Destination KNIME Hub. The screenshot shows Token-based authentication to the server.

Page 2: Destination and Data Selection

On the second page, you select the destination team and space(s) and the actual data on the KNIME Server you want to migrate to the KNIME Hub.

Team selection

First, you select the team you want to migrate the data to from the list of teams you are a member of. Secondly, you decide on the space(s) you want to migrate to.

Space Selection: Create a space for each selected Folder (default)

With this migration method, you can select several folders on the KNIME Server to migrate to the KNIME Hub. The content of each selected folder will be transferred to a space on the Hub that has the same name as the folder. If a space does not already exist, it will be created, and you can choose if it is private (only visible to team members) or public (visible to anyone who has access to the KNIME Hub). If a space does exist, it will be untouched. Any existing items will be overwritten and new Workflow versions or Component versions will be created. With this option, only folders from the KNIME Server can be selected for migration.

KNIME Server to KNIME Hub Migration



Team, Space, and Data Selection | Step 2 of 5 |

Workflows are organized differently on KNIME Hub than on KNIME Server, as it introduces the concept of **Teams** and **Spaces**. A Team is a group of users on KNIME Hub that work together on shared projects. These projects reside in Spaces. You can find more information about Teams and Spaces in the [KNIME Business Hub User Guide](#).

On this page, you

1. select to which Team you want to migrate data to
2. select the Space(s) to migrate to
3. and finally select the actual data from the KNIME Server.

After clicking 'Next', you'll see an overview of which data will be migrated to where and whether any problems were detected.

KNIME Hub Destination

<https://>

Destination Team

Select the KNIME Hub Team to migrate content to

Dev Team
Workflow Applications
Workflow Applications Test Team 1
Workflow Applications Test Team 2
Workflow Applications Test Team 3
Workflow Applications Test Team 4

Learn more about Teams [here](#).

Destination Space

Select the Team's Space(s) to migrate content to

Create a Space for each selected Folder Migrate to a single Space

Make New Spaces Private?

Spaces can be 'private', so that they are only visible and accessible by team-members, or they can be 'public' and visible to other users on KNIME Hub as well. Items in public Spaces will show up in the search of KNIME Hub. This setting can be changed for Spaces individually on KNIME Hub.

Here you can choose if you want to make new Spaces public or private (default). Existing Spaces will keep their setting.

Learn more about Spaces [here](#).

Figure 2. Page 2 of the data app, upper part. Here you select the destination of the migration. On the left side, you select one team from the ones that are available to you. On the right side you choose the space: you can either create a new space for each selected folder, or choose to migrate the selection to a new or existing space. Further, you can select if newly created spaces are private (only visible to team members) or public (visible to anyone on the Hub).

Space Selection: Migrate to a single space

With this migration method, the files and folders from the Server that you select are migrated to a single space on the Hub. This space can be a new one that you can decide on its name and whether it's private (only visible to team members) or public (visible to anyone who has access to the KNIME Hub). You can also choose to use a space that does already exist. Any existing items will be overwritten and new Workflow versions or Component versions will be created. With this option, folders, workflows and other items can be selected for migration from the KNIME Server.

Data Selection

With the file chooser widget at the bottom of the third page, you select the folders and items you want to migrate to the Hub. Note that you can use the Shift- and/or the Ctrl-Keys to select multiple items. Depending on the size of the file system on the KNIME Server, it might take a while until the widget shows up.




Figure 3. Page 2 of the data app, lower part. Here you select the data you want to migrate to the Hub.

Page 3: Fine-tuning


Overview

After selecting the data to migrate, you are presented with an overview of the data that is available for migration, and to which space they will move. Below this overview, you find the possibility to fine tune which items you want to migrate.

Items Available for Migration

94 items are available for migration to 1 space in team [Workflow Applications Test Team 4](#): Server to Hub Migration Testcases.

Overall Items



Distribution among Spaces




Figure 4. Page 3 of the data app: Overview of the items that will be migrated on the third page of the data app.

Workflow, Component, and Data File Configuration

To begin with, you can select which of the items you want to migrate. This can be “All” (default), only items of a certain type, those items that are not older than a given date, a custom selection, or “None”. The “age” of an item for the third option is determined by the last time the item was modified on KNIME Server.

Workflow, Component, and Datafile Configuration

Contrary to KNIME Server, Workflows and Components on KNIME Hub can have two states: "Draft only" or "Versioned". "Draft only" refers to the current state of the item, whereas "Versioned" refers to a saved version of the item to which it can be restored later. Any changes to the item will appear in a "Draft", which can then be versioned once you are satisfied with the changes.

Learn more about Versioning on KNIME Hub in the [KNIME Business Hub User Guide](#).

If you wish, a new version of the migrated items is created on the KNIME Hub. You also select the items you want to migrate here.

Figure 5. Detailed selection of the items to be migrated on the third page of the data app.

Snapshots to Item Versions Configuration

Below the item configuration, you'll find the migration configuration of KNIME Server snapshots, that will become KNIME Hub item versions. The selection is similar to the items, with the addition of the possibility to migrate "A fixed amount of Snapshots per Item" (default), which allows you to save resources on KNIME Hub by migrating only the latest N snapshots of each item. This will migrate only the latest snapshots, by default the latest 3.

Snapshots to Item Versions Configuration

Snapshots on KNIME Server relate to Item Versions on KNIME Hub. Learn more about Versioning on KNIME Hub in the [KNIME Business Hub User Guide](#).

Note that independent of the snapshot migration, each workflow or component will have one version from its current state on the KNIME Server created if it is selected in the list above.


Each Snapshot from the KNIME Server will become a version of the Workflow or Component on the KNIME Hub. Select which snapshots you want to have migrated here. Each version on the KNIME Hub will have a title and a description that you can change in the list below.

Figure 6. Detailed selection of the snapshots to be migrated on the third page of the data app.

Note that data files could be versioned on KNIME Server, which is not supported on KNIME Hub. Snapshots of data files will not be migrated, and the migration data app will notify you on these cases below the snapshots table.

Similar to the Overview prior to the migration, you will then find an overview of the items that were actually migrated. You can tick the “Migrate to more teams?” box to start the migration all over again with the same connection settings when clicking the “Next” button.

Migrated Items



Distribution among Spaces




Figure 8. Overview of the migrated items on the fourth page of the data app. The migration itself is done, what is left is making sure that the schedules are working as expected and other cleanup tasks (see below) which depend on the migrated content.

If there were Shared Metanode in the data-selection, a warning is issued, with the possibility to delete them right away, since they are a feature not supported on KNIME Hub. We recommend changing shared metanodes to shared components.

Below the overview, you will find the migrated items in a table, from which you can access the items directly via link.

Finally, the new schedule deployments are linked, and any potential issues that might need attention accordingly. Possible Issues are:

- Credentials Configuration
 - Schedules with this error will not work as expected: Credentials stored in Credential Configuration Nodes on KNIME Server cannot be migrated to KNIME Hub directly due to security reasons. The schedule was migrated still, but with an invalid password. Please modify the schedule on KNIME Hub accordingly.
- Callee not found
 - Schedules with this error will most likely not work as expected: Schedules on KNIME Server allowed to call workflows once the base workflow was finished successfully or on error. When the workflow to be called was not found among the data to be migrated, this warning was issued. Note that this feature is only

possible to use via REST API on KNIME Hub, and you might want to consider redoing the workflow with Call Workflow Service Nodes.

- Schedule Action 'Call Workflow'
 - Schedules with this warning are hard to maintain on KNIME Hub: as explained above, the 'Call Workflow' action is only available via REST API on KNIME Hub and you might want to consider changing the setup of the workflow.
- Schedule Action 'Save Report'
 - Schedules with this warning will save the workflow in a location different from their original configuration: Again, this can only be altered via REST API, and you might want to consider using the successor of BIRT Reporting with KNIME, the [KNIME Reporting Extension](#).

Schedule Migration

6 KNIME Server Schedules were migrated to KNIME Business Hub as Schedule Deployments. You can find an overview of the deployments of team 'Workflow Applications Test Team 2' on their [deployments page](#).

The 2 schedule deployments listed below need your attention in order for them to work as intended. Please address each issue individually, e.g. by altering the schedule or the workflow behind it.

Schedules that need Attention

Show entries Search:

Schedule	Issues	Schedule Deployment ID
Scheduled Workflow with Configurations & BIRT	<ul style="list-style-type: none"> • Credentials Configuration 	schedule:5087e974-8a15-4e27-8ae0-ea28d9233607
Multiple Workflows to be called	<ul style="list-style-type: none"> • Schedule Action 'Call Workflow' 	schedule:80b4c633-1474-4be3-a900-0df61db44145

Showing 1 to 2 of 2 entries Previous **1** Next

Credentials Configuration

Passwords are not decrypted during migration since the encryption process works differently on KNIME Server compared to KNIME Hub. Therefore, passwords stored in the schedule via the [Credentials Configuration Node](#) could not be migrated. Please enter them anew in the respective deployment.

Schedule deployments with this issue will fail: The workflow will fail as the password is incorrect.

Schedule Action 'Call Workflow'

The 'Call Workflow' action was altered so that it calls a workflow on the KNIME Hub (if it was found). This can currently be changed only via REST Call, details of which can be found [in the REST API docs](#). Otherwise, we recommend to rework the schedules workflow to use e.g. the [Call Workflow Service Node](#).

Schedule deployments with this issue will work as expected, but are difficult to maintain.

Successfully migrated schedules

Show entries Search:

Schedule	Schedule Status	First Execution	Last Execution	Next Execution
V2V38	Refreshed	2028-01-18T00:00+01:00(Europe/Berlin)	?	2028-01-18T00:00+01:00(Europe/Berlin)

Figure 9. Details on the migrated schedules. In this example, two schedules need attention, as configured credentials could not be migrated and there are other workflows that are called after execution of the first workflow. For details on how to handle these, see the help text in the data app itself, or above.

Page 5: Migration Logs

If you didn't choose to migrate to another team, a click on the "Next" button leads you to the last page. It shows a migration log that was created during the whole migration process. The

logs are available for download and are also stored in the “KNIME Server to KNIME Hub Migration Logs” folder next to the migration workflow on the Server.

KNIME Server to KNIME Hub Migration



Migration Summary | Step 5 of 5 |

The migration from Server to Hub has been completed. Details of the migration can be found in the logs below. You can download the log file here or find it later stored in the folder 'KNIME Server to KNIME Hub Migration Logs'.

Download Migration Log

[📄 2024-06-11T12_39_57_KNIME_Server_to_KNIME_Hub_Migration.log \(log\)](#)

```
#####  
##### Configure Server and Hub Connections #####  
#####  
  
##### Connections  
#####
```

Figure 10. Logs of the migration on the last page of the data app. These logs are saved next to the workflow, and can also be downloaded for future reference.

Wrap up

After the migration workflow is finished, we recommend manually checking if the migration was done as expected.

1. Were all spaces created as expected?
2. Do the spaces contain all the folders, workflows, and data files as expected?
3. Are all items versioned accordingly?
4. If you selected to migrate scheduled executions: Have corresponding schedule deployments been created on the Hub?

It is important to understand that workflows have been copied unmodified to the Hub. If a workflow requires certain connections to other systems or relies on files being present in certain locations, it might need manual reconfiguration on the Hub. Check if all workflows, especially ones being deployed on a schedule, do still execute successfully. See also the [Limitations](#) section which describes possibly required manual follow-up actions.

KNIME AG
Talacker 50
8001 Zurich, Switzerland
www.knime.com
info@knime.com