

Deployments on KNIME Business Hub Guide

KNIME AG, Zurich, Switzerland
Version 1.16 (last updated on)



Table of Contents

- Introduction..... 1
- Deployment Examples Installation..... 1
- Deployment Examples..... 4
 - Item Versioning 4
 - Data App - Weather Data App 6
 - Data App - Flags Games Data App 10
 - Schedule - Weather Forecast Generator..... 12
 - Service - Prime Numbers Data App..... 16
 - Service - ETL and Integrated Deployment 19
 - Trigger - Automatic Version Creator 22
- Use Cases..... 25
 - Loan Ease..... 25
 - FinTrack 27
 - Market Sizing..... 31

Introduction


The KNIME Business Hub has significantly expanded the range of options for deploying workflows. In this guide, we will explore the full spectrum of opportunities provided by this innovative infrastructure to streamline data science production with KNIME. We have prepared a variety of deployment examples that serve both as demonstrations and real-world use cases, offering a comprehensive showcase of the platform's latest features. To configure these examples within the KNIME Business Hub, the first step is to initiate an installation workflow.




Find all the workflows relative to this guide [here](#).

Deployment Examples Installation

The deployment examples installation workflow is a versatile data application that can be executed both directly on KNIME Business Hub and within a local environment. This folder data area contains the complete Repository Examples folder. After inputting the **Application Password** and the Hub URL into the "Hub connection" component, this folder is promptly uploaded to the Hub as soon as the next component is executed. After successfully establishing the connection, the user will be presented with a list of all available teams. Subsequently, the content will be uploaded to all the teams that have been selected by the user.



In the next step, the Installation component will initially create a space named "KNIME Business Hub Deployment Examples" within the selected teams on the Hub, followed by the upload of workflows and files to this newly created space.



In this space, you will encounter the following organized structure:

- "Deployment Examples" Folder: This folder contains four distinct workflows, each tailored for a specific deployment type, as indicated by the subfolder names.
- "Use Cases" Folder: In contrast, the "Use Cases" folder comprises three projects with a slightly elevated level of complexity.

The workflows situated within the "Deployment Examples" folder are designed for manual deployment by the user, providing a hands-on experience. In contrast, the applications within the "Use Cases" folder are configured for fully automated deployment, offering an effortless experience for users. After the successful execution of the Installation workflow, you can expect to find the content neatly organized within the previously mentioned space. The "Installation" component's view will provide you with a comprehensive overview of the results pertaining to the automatic deployment creation for the projects contained within the "Use Cases" folder.

Installation Workflow

Deployment Examples



In KNIME Business Hub's Deployment Examples, you'll find this structured setup:

The "Deployment Examples" folder houses several distinct workflows, each tailored for a specific deployment type

The "Use Cases" folder comprises three projects with a slightly elevated level of complexity

The workflows in the "Use Cases" folder have been automatically deployed

KNIME Hub Deployment Examples Space already exists. Content of this spaces might have been overwritten.

☒ Hide deployments details

 [KNIME Business Hub Deployment Examples](#)

 [Deployment Examples](#)

 [Use Cases](#)

 [Documentation](#)

 [Deployments Page](#)

 [Data Apps Portal](#)

 [YouTube Playlist](#)

For an introduction to all available deployment types on KNIME Business Hub, please refer to the [linked documentation](#). In summary, there are four primary deployment options:

- **Data App:** You can deploy a workflow as a Data App.
- **Schedule:** Schedule workflows for automatic execution at a specified time.
- **Service:** Create an API Service to facilitate workflow access via external calls.
- **Trigger:** Implement trigger-based deployments for specific events.

Deployment Examples

Item Versioning


Creating a deployment of a workflow, regardless of the deployment type, necessitates the mandatory creation of a version of the workflow. This requirement stems from the fact that users must select a specific version of the item they intend to deploy. For additional information, you can refer to the [official documentation](#).

To create a version of a workflow, uploaded to a Hub space, follow these steps:

- Click on the "History" button, which will trigger the appearance of a "side drawer" on the left-hand side

- Within this "side drawer," locate and click the "Create Version" button
- You will be prompted to provide a name (mandatory) and an optional description for the version.

By following these steps, you ensure that a version is created and ready for deployment



Create version

Give your version a name and description. Versions can be used to create a deployment.

Version name

Weather Data App - Version 1

Description

Step by step guide to deploy a data app

From this point onward, the step-by-step guide will assume that you have already created an item version before proceeding with the workflow deployment.

Data App - Weather Data App


Workflow explanation


The Weather Data Dashboard is a data application designed to provide users with insightful visualizations and analysis of synthetic weather data.

This user-friendly app generates synthetic weather data for various parameters, including Date and time, Sunlight Duration (minutes/hour), Rain Probability, Relative Humidity, and Temperature (°C). It presents this data in an intuitive dashboard featuring dynamic graphs (Line Plot and Bar Chart), a table view, and a Date Filter widget.

Creating a Data App Deployment: Step-by-Step Guide

Upon successful execution of the installation workflow, you will find the Weather Data App conveniently located within the Data App folder of the newly created space. After successfully creating the version, proceed by clicking the "Deploy" button, which becomes enabled once there is at least one version of the item.





A panel will appear, facilitating the configuration of essential deployment details. Here, you can specify information, such as selecting a deployment name and description, choosing an execution context, and categorizing the data app on the DataApps Portal.



Create data app

Create a data app to interact with the workflow via a user interface.

Deployment name

Weather Data App

Version

Weather Data App - Version 1 - Sep 18, 2023 4:35 PM

Select execution context

5.1.1 General Purpose



Category

Deployment Examples

Description

The Weather Data Dashboard is a data application designed to provide users with insightful visualizations and analysis of synthetic weather data.



Workflow actions

Control basic actions of the workflow execution.

☐ Enable workflow actions

Advanced settings


Change job lifecycle behavior, timeouts, ...

Set >

Once the Data App has been successfully created, you can access it via the "Deployments" page within your team's workspace. To share the Data App with other users, follow these steps:

- Click the  icon next to the Data App
- Select "Manage Access" from the menu
- Configure access permissions.

Upon completing these actions, the added users will gain visibility and access to the Data App within the Data App Portal, organized under the assigned category. For more comprehensive details regarding the Data Apps Portal, please refer to the provided [documentation](#).



The screenshot shows the 'Deployments of Workflow Builders' page in the KNIME Business Hub. The page has a sidebar with 'Workflows', 'Spaces', 'Deployments', and 'Execution resources'. The main area displays a table of deployments. A 'Manage team' button is located at the top right of the table. On the right side, a 'Manage access for Weather Data App' dialog is open, showing a search for 'franc' and a list of users including 'francesco.tuscolano'.

Type of deployment	Name	Workflow	Date of creation ↓	Creator	Execution context	Status
Data app	Weather Data App	...Data App/Weather Data App/	Sept. 18, 2023, 14:38	francesco.tuscolano	5.1.1 General Purpose	
Data app	Data App Deployment Exa...	...oanEase/Credit Scoring App/	Sept. 15, 2023, 13:20	francesco.tuscolano	5.2 Nightly	
Data app	Data App Deployment Exa...	...es/FinTrack/StockView App/	Sept. 15, 2023, 13:20	francesco.tuscolano	5.2 Nightly	
Service	REST Deployment Example...	...oring Model - Decision Tree/	Sept. 15, 2023, 13:20	francesco.tuscolano	5.2 Nightly	
Trigger	Trigger Deployment Examp...	.../Prepare Data for StockView/	Sept. 15, 2023, 13:20	francesco.tuscolano	5.2 Nightly	
Schedule	Schedule Deployment Exa...	...g/Daily Stock Price Grabber/	Sept. 15, 2023, 13:20	francesco.tuscolano	5.2 Nightly	


Now that the Data App has been successfully deployed, you have two convenient methods for execution:

- **Data Apps Portal:** Access and execute the Data App via the Data Apps Portal, especially when shared with other users. (<https://apps.my-business-hub.com/>)
- **Deployment Page:** Alternatively, you can run the Data App directly from the Deployment page by clicking the  icon and selecting "Run."

Weather Data App



From: To: [Confirm range](#)




Summary Statistics

Rows: 4 | Columns: 5

Name	Minimum	Maximum	Mean	Standard De...
sun / minutes/...	0	57.626	13.174	18.802
rain probability	0	96	18.637	31.143
rel humidity	51	100	70.369	14.252
temperature / ...	10.258	19.724	14.373	3.003

Daily Averages



Data App - Flags Games Data App

Workflow explanation

This workflow details the creation of a captivating and interactive game data app that engages users in a flag-guessing challenge.

In this app, users are presented with flags from different nations, and their task is to identify the nation to which each flag belongs correctly.

After a series of flag guessing rounds, a score is computed, and users are offered the opportunity to submit their scores. This engaging and educational app combines entertainment with data collection.

Furthermore, this workflow includes various tips and tricks that aid in the creation of high-quality data apps that deliver an exceptional user experience.

To create a data app deployment for this workflow, you need to follow the steps outlined in the previous section, [Creating a Data App Deployment](#).



Welcome

Play

Form

Dashboard



Welcome!

Player: account:user:9eb1ae19-76bd-413a-8bd6-d5e9a1ac05d0

GuessTheCountry is an interactive game to test your knowledge around the world. The game runs three times: in each round it shows you an image and three countries as options. Watch out: points are given and taken!

- 3 points for a *correct* answer
- -1 point for a *wrong* answer

How many points will you be able to score?
Click **Next** and start playing!

Upload a file or use the default dataset

Select file countries-flags-png.table



Welcome

Play

Form

Dashboard

Round 1/3



Current Score: 3

Make your choice!

☐ South Ossetia ☒ Estonia ☐ Colombia

Estonia is correct!

Click Next to continue

← Back

Cancel

Next

Round	Country	Number of attempts	Points
1	Antigua and Barbuda	1	-1
1	Mali	1	-1
2	Singapore	1	3
3	Sweden	1	3

First Name

first name

Last name

last name

Age

25

Country

Albania

Email Address

example@email.com

☒ I want to subscribe to the newsletter

From 1 to 5, how much would you recommend our game to a friend?

☐ 1

☐ 2

☐ 3


☐ 4

☒ 5

Schedule - Weather Forecast Generator

Workflow explanation


The workflow is an automated solution designed to generate synthetic weather data on a weekly basis and store it in a designated folder named "Data."



It generates synthetic weather data for various parameters, including Date and time, Sunlight Duration (minutes/hour), Rain Probability, Relative Humidity, and Temperature (°C).


By scheduling this workflow, you ensure a steady supply of weather data without manual intervention.

Data is saved in .csv format after each execution.



Creating a Schedule Deployment: Step-by-Step Guide

By using a schedule, users can specify a time for workflows to run automatically, eliminating the need for manual intervention.



We offer various options for specifying when the workflow will run. For instance, you can configure the workflow to run every seven days from the current date and continue running for a year.

Schedule options

Define when the workflow should be executed.

Initial execution

2023-09-19

11

:

02

:

00

☒ Repeat execution

Every

Start times

7

Days

Schedule ends date

Never

Date

2024-09-20

11

:

02

:

00

Clicking on "Set Schedule Details" provides additional capabilities, allowing you to include or exclude specific months or days, as well as specifying precise execution timeframes.

Recurring on

Days of the week

M

T

W

T

F

S

S

Invert selection of days of the week

Days

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	Last day of the month			

Invert selection of days

Months

Jan

Feb

Mar

Apr

May

Jun

Jul

Aug

Sep

Oct

Nov

Dec

Invert selection of months

Timeframes

Between

00

^

∨

:

00

^

∨

and

23

^

∨

:

59

^

∨

You can always edit the schedule by accessing it on the "Deployment" page.

Rows: 1-7 of 7

All time

Type of deployment	Name	Workflow	Date of creation ↓	Creator	Execution context	Status		
> 	Schedule	Weather Forecast Generator	...r Forecast Generator/	Sept. 19, 2023, 11:09	francesco.tuscolano	5.1.1 General Purpose		Run Edit Delete
> 	Data app	Weather Data App	...p/Weather Data App/	Sept. 18, 2023, 14:38	francesco.tuscolano	5.1.1 General Purpose		
> 	Data app	Data App Deployment Example - Cr...	...e/Credit Scoring App/	Sept. 15, 2023, 13:20	francesco.tuscolano	5.2 Nightly		
> 	Data app	Data App Deployment Example - St...	...rack/StockView App/	Sept. 15, 2023, 13:20	francesco.tuscolano	5.2 Nightly		⋮
> 	Service	REST Deployment Example - Credit...	...odel - Decision Tree/	Sept. 15, 2023, 13:20	francesco.tuscolano	5.2 Nightly		⋮
> 	Trigger	Trigger Deployment Example - Pre...	... Data for StockView/	Sept. 15, 2023, 13:20	francesco.tuscolano	5.2 Nightly		⋮
> 	Schedule	Schedule Deployment Example - D...	... Stock Price Grabber/	Sept. 15, 2023, 13:20	francesco.tuscolano	5.2 Nightly		⋮

Rows: 1-7 of 7

50 per page

Service - Prime Numbers Data App

Workflow explanation

To achieve the goal of integrating the service into other workflows, data apps, or clients, we will showcase the use of two workflows in this demonstration.

The first workflow, named "Prime Number," will be deployed as a service. Simultaneously, the "Prime Number Data App" will invoke this workflow during its execution to retrieve information about the prompted prime number.

Home > Deployment Examples > Service







Production Folder (Integrated Deployment)





ETL and Integrated Deployment





Prime Number





Prime Numbers Data App



Creating a Service Deployment: Step-by-Step Guide

To initiate the service deployment process, click the "Deploy" button and select "Create Service."

Workflow

Prime Number

Prime Numbers | Service Deployment | KNIME Hub Deployments Examples

Version: Example Deplo... — Latest

Sep 15, 2023 3:20 PM

History

0

0

Copy link

Run

Deploy

Container Input (JSON)

Define Input JSON

JSON to Table

table

Joiner

match the input number in the list

Rule Engine

Number not matched = not a prime number

Table to JSON

back to JSON format

Container Output (JSON)

Define Output JSON

CSV Reader

Prime number list stored in the workflow data area

Constant Value Column

add a label

This workflow plays a crucial role in the Prime Numbers Data App, where it serves as a backend service to determine whether a given number is prime or not.

The workflow receives input from the app, performs the prime number check, and sends back a JSON response containing the result, which is then displayed in the app's user interface.

Detailed documentation for this workflow, including step-by-step instructions for configuring the Service is available. You can access the documentation on the link below in the workflow description.

Data app

Create a data app to interact with the workflow via a user interface.

Create data app

Schedule

Schedule your workflow to run automatically at selected times.

Create schedule

Service

Create a service to use the workflow as an API endpoint.

Create service

Trigger

Create a trigger to execute the workflow when a specified event occurs.

Create trigger

The configuration process only necessitates a few specified parameters, such as the deployment name, execution context, and version selection if multiple versions are available.

[]} Create service

Create a service to use the workflow as an API endpoint.

Deployment name

Prime Number

Version

Example Deployment Version - Prime Number - Sep 15, 2023 3:20 PM

Execution context

5.1.1 General Purpose

© 2025 KNIME AG. All rights reserved.

17

After the deployment has been created, you can open it and read the API specifications for invoking the service on the Deployments page within the Hub team.

Rows: 1-8 of 8							All time	🔍
Type of deployment	Name	Workflow	Date of creation ↓	Creator	Execution context	Status		
> [Icon]	Service	Prime Number	...rvice/Prime Number/	Sept. 19, 2023, 11:39	francesco.tuscolano	5.1.1 General Purpose		
> [Icon]	Schedule	Weather Forecast Ge...	...r Forecast Generator/	Sept. 19, 2023, 11:09	francesco.tuscolano	5.1.1 General Purpose	🔴	Open
> [Icon]	Data app	Weather Data App	...p/Weather Data App/	Sept. 18, 2023, 14:38	francesco.tuscolano	5.1.1 General Purpose		
> [Icon]	Data app	Data App Deployment...	...e/Credit Scoring App/	Sept. 15, 2023, 13:20	francesco.tuscolano	5.2 Nightly		

It's crucial to remember that the deployment ID is key information for making REST API calls to the specific deployment.

It is important to configure access permissions for the service; otherwise, users may be unable to access it. To accomplish this, you can click on "Manage access" and add all the users who require access to the service. Alternatively, you can choose to permit access for any signed-in user. This is the **same procedure** to grant access to a data app.

Prime Number

Fri, 15 Sep 2023 09:37:47 GMT OAS3

/deployments/rest:511dca10-0b0d-488c-aec7-d4050a70382e/open-api

This workflow plays a crucial role in the Prime Numbers Data App, where it serves as a backend service to determine whether a given number is prime or not.

The workflow receives input from the app, performs the prime number check, and sends back a JSON response containing the result, which is then displayed in the app's user interface.

Detailed documentation for this workflow, including step-by-step instructions for configuring the Service is available. You can access the documentation on the link below in the workflow description.

Servers

/ - KNIME Hub

Jobs

Execution

POST /deployments/**rest:511dca10-0b0d-488c-aec7-d4050a70382e**/execution Executes a job of this deployment.

GET /deployments/**rest:511dca10-0b0d-488c-aec7-d4050a70382e**/execution Executes a job of this deployment.

Once the Service deployment has been created, you can proceed to run the Prime Number Data App, which can also be deployed. This data app requires the Deployment ID as input to fetch the service for invocation. Once the Service has been successfully connected to the data app, you can proceed to the next page.

Prime Numbers Data App



Hub Credentials

Application password ID

bLIQR9tKvTCdwzgCITRzOWvIAYw91hHvU65joQ3bsIM

Password

Br6BkxCzXjpWtYOTXJman8Nnbnm_ZyKKCF-5h52NMvHbLFB22FI8Zs8lzp_Zuc_0AR12Bk0o1efS

Deployment ID

rest.511dca10-0b0d-488c-aec7-d4050a70382e

Fetch REST deployment

Hub Location

https://datahub.knime.com/

Connect to Hub

Connected to Hub

You fetched the correct deployment.

This straightforward data app demonstrates how the user interface collects input, sends it to the service, and receives the determination of whether the number is prime or not in response.

Prime Numbers Data App



Test if the input number is a prime number

Input number:

3

Prime Number?

Results from the Service Deployment

3

is a prime number

Showing 1 to 1 of 1 entries


Service - ETL and Integrated Deployment

Workflow explanation



This workflow outlines the process of using the **Integrated Deployment extension** to create a brand-new production workflow that can be deployed as a service.

The workflow retrieves data from the data area and conducts essential preprocessing tasks. Thanks to the Integrated Deployment Extension, these preprocessing steps are encapsulated and replicated within a production workflow, making them readily available for external use when deployed as a REST endpoint. The resulting production workflow is saved within the

"Production Folder (Integrated Deployment)" which is located at the same level as the original workflow.




The goal is to create a deployable service that can effectively process a data table when it's invoked correctly.



To start, execute the "ETL and Integrated Deployment" workflow. You will observe that the

Workflow Writer node will save the relevant portion of this workflow in the Production Folder.


The Workflow Writer node is configured to use the Workflow Service nodes as input and output.




Transmit a table to the Service Deployment

If you want to process a new table using this ETL workflow, once you've [created a Service Deployment](#) for the "Data_Transformation_wf," the most straightforward approach is to utilize the Call Workflow Service node along with the KNIME Hub Authenticator node.

Open the "Send a data table to the Service Deployment" workflow directly on the Hub, then browse the available deployments and select the one that's connected to the ETL workflow generated using Integrated Deployment.



After making your selection, you should click the "Adjust node ports" button to create the input port that sends the data.



Trigger - Automatic Version Creator

Workflow explanation


This KNIME workflow is designed to automate the creation of item versions when a file is added, modified, or updated to a designated space on KNIME Business Hub.

It leverages the power of KNIME's automation capabilities to streamline the process of managing and versioning files within a shared space. The workflow is made to be deployed on KNIME Business Hub and is triggered whenever a new file is uploaded to the space where the workflow is stored.

The container Input (Repository Event) conveys information about the new file to the workflow. These parameters are then utilized to automatically generate a version of the file by means of the Version Creator node.

Creating a Trigger Deployment: Step-by-Step Guide

To initiate the service deployment process, click the "Deploy" button and select "Create Trigger."



In addition to the standard deployment parameters like name and execution context, the critical aspect here is to specify the type of event that serves as the trigger for the workflow. These events can encompass actions such as file addition, deletion, update, or the creation of a new version for any data file. Furthermore, users have the option to specify a sub-path within the chosen target space.



Create trigger

Create a trigger to execute the workflow when a specified event occurs.

Deployment name

Automatic Version Creator

Version

Example Deployment Version - Automatic Version Creator - Sep 15, 2023
3:20 PM

Execution context

5.1.1 General Purpose



Trigger options

Define events that will trigger execution.

Select space

KNIME Business Hub Deployment Examples



Item type

File

Folder

File type

- ☒ Workflow
- ☒ Component
- ☒ Data file

Action


- ☒ Added
- ☒ Modified
- ☐ Deleted
- ☐ New version created

Additional filtering

No

By subfolder

With these settings in place, a version will be automatically created each time there is a modification or a new upload within the KNIME Business Hub Deployment Examples space.



Use Cases

Use cases are already ready to use as the installation workflow takes care of the setup.


Loan Ease

This use case consists of two workflows that allow the achievement of different goals:

- The Credit Score App
- The Credit Score Model - Decision Tree

The “Credit Scoring App” is designed to determine the creditworthiness of an individual applying for a loan. It takes a set of input variables and uses a deployed “Credit Scoring Model- Decision Tree” workflow as a service. This workflow is deployed on KNIME Business Hub as a data app, providing an easy-to-use interface for users to assess their credit eligibility.

The “Credit Score Model - Decision Tree” serves as a service deployed to provide credit scoring predictions to the Credit Scoring Data App.



It utilizes a decision tree model stored in the data area to score incoming data, generating predictions and estimated probabilities for creditworthiness.

The results are sent back to the data app for display and decision-making.

The workflow begins when a user accesses the Credit Scoring App through the KNIME Business Hub.

The user is presented with a user-friendly interface to input their information.

The data app collects input variables from the user, which are required for credit scoring through seven widgets:

1. Gender
2. Home Ownership
3. Education
4. Marital Status

- 5. Income
- 6. Age
- 7. Number of Children

After, it constructs a JSON body with the user-provided input variables, that is sent to the predictive model for the scoring.

Credit Scoring Data App

Assign a creditworthiness score

Gender

Male

Income

30000

Education

Bachelor's Degree

Age

30

Marital Status

Single

Number of Children

1

Home Ownership

Rented

Get credit score

Individual Score

The credit score is average.

Showing 1 to 1 of 1 entries


Rows: 3 | Columns: 2

Risk Class	Probability
Credit Score=High	0.051
Credit Score=Average	0.923
Credit Score=Low	0.026

FinTrack

This data app encompasses three deployment types, each serving distinct objectives.

The 'Daily Stock Price Grabber' downloads stock price data and runs as a scheduled execution every day at 08:00 a.m., excluding weekends.



You can select the stocks to download by entering their tickers separated by commas in the workflow configuration. If you wish to add more stocks, you will need to create a new schedule.



Ad hoc execution

Instant execution of your workflow.

Version

Latest

Execution context

5.1.1 General Purpose



Workflow actions

Control basic actions of the workflow execution.

☐ Enable workflow actions

Configuration options

Control the parametrization of the workflow execution.

Stocks Tickers

GOOG,AAPL

In the Staging Area, the app stores historical prices in separate data files

Home > Use Cases > FinTrack > Data Processing > Staging Area

←



AAPL.csv



GOOG.csv

The data files are processed to be formatted in a way that is compatible with the StockView App. Before this processed data file is transferred to the StockView Data Input folder, a trigger deployment initiates a basic validation process. If this validation process is successfully completed, the data is then moved to the designated location (The StockView Data Input folder).

Home > Use Cases > FinTrack > Data Processing > Data Validation

←



Validate File


Home > Use Cases > FinTrack > Data Processing > StockView Data Input

←




Processed-data.csv

The dashboard reads data from the 'StockView Data Input' folder.



Market Sizing

In addition to the deployment options mentioned earlier, another valuable KNIME feature for seamlessly integrating different workflows is the "Call Workflow" node. In this particular use case, we deploy a data app that leverages another workflow. The data app invokes this workflow to process data using the "Call Workflow (Table Based)" node and retrieve specific data into the data app.



This workflow is designed to estimate market size and potential revenues for a product or service by harnessing the power of Monte Carlo simulation techniques. The data app uses some input parameters including product or service unit price, awareness, consideration, purchase intention, and the size of the target population, culminating in the generation of reasonable market size projections.

It all begins with the conceptualization of a theoretical purchase process undertaken by potential customers. After defining the size of the target population, which represents the group of customers most likely to embrace the product or service, the simulation makes an assumption regarding the number of customers.

1. Awareness is the first stage of the marketing funnel. At this stage, potential customers become aware of your product or service's existence. They may have encountered your brand through various channels, such as advertising, social media, word-of-mouth, or online search.
2. Consideration is the second stage of the marketing funnel. Once people are aware of your product or service, they start considering it as a potential solution to their needs or problems. They begin to research and gather information about your offering and may compare it with alternatives.
3. Purchase intention is the final stage of the marketing funnel before a potential customer becomes an actual customer. At this point, the individual has a strong interest in your product or service and is leaning toward making a purchase.

The formula for estimating the potential number of customers is as follows:

Number of customers = Target Population size x % Awareness x %
Consideration x % Purchase Intention.

This formula closely follows the logical progression of a market funnel.

Market Sizing Data App

Welcome to the Market Sizing Data App!

Our data app employs a Monte Carlo Simulation technique and a purchase marketing funnel model to provide you with accurate estimates of potential gross revenues for your product or service. To get started, please input the following initial parameters:

1. Target Population Size: This is the number of individuals or entities within your market.
2. Unit Price of your Product or Service: This refers to the cost at which you plan to sell your product or service.

With these key inputs, our app will help you gain valuable insights into the revenue potential of your offering. Let's begin analyzing your market!

Target Population Size

10000

?

Unit Price

10.5

?

The Marketing Funnel

In the subsequent step, users are prompted to specify the range of variability for the marketing factors that exert influence on the ultimate outcome. These defined ranges serve as the parameters for the **Triangular Distribution**, a probabilistic process employed to generate random combinations of these marketing factors. This is accomplished through a series of repeated sampling experiments, closely aligned with the fundamental principles underlying **Monte Carlo** simulations.

You have the ability to set the boundaries for the generated values using the parameters of the triangular distribution.

Awareness

Lower Limit

0

?

Mode

0.5

?

Upper Limit

1

?

Update Distribution Parameters ↕

Triangular Distribution


Random values for awareness, consideration, and purchase intention will be generated through a triangular distribution process.

The simulation engine conducts 1000 iterations, randomly combining potential outputs using the following generative process:


- Awareness ~ Triangular(a, b, c)
- Consideration ~ Triangular(a, b, c)
- Purchase Intention ~ Triangular(a, b, c)

The final formula for computing the simulated revenues is as follows:

Revenues = Target Population x (Awareness ~ Triangular(a, b, c)) x (Consideration ~ Triangular(a, b, c)) x (Purchase Intention ~ Triangular(a, b, c)) x Unit Price



You can examine the distribution of simulated values defined by your input, which serves as the basis for revenue calculations in each iteration, by selecting the checkbox.



KNIME AG
Talacker 50
8001 Zurich, Switzerland
www.knime.com
info@knime.com